



Guidelines for the Use of Antiretroviral Agents in Pediatric HIV Infection

Downloaded from <https://aidsinfo.nih.gov/guidelines> on 9/13/2019

Visit the *AIDSinfo* website to access the most up-to-date guideline.

Register for e-mail notification of guideline updates at <https://aidsinfo.nih.gov/e-news>.

Appendix A, Table 1. Antiretrovirals Available in Fixed-Dose Combination Tablets

Brand Name by Class	NRTIs						NNRTIs			INSTIs			PIs			PK Enhancers	
	ABC	3TC	ZDV	FTC	TDF	TAF ^a	DOR	EFV	RPV	BIC ^a	DTG	EVG ^a	ATV	DRV	LPV ^b	COBI	RTV
NRTI																	
Cimduo		X			X												
Combivir, Generic		X	X														
Descovy				X		X											
Epzicom, Generic	X	X															
Temixys		X			X												
Trizivir, Generic	X	X	X														
Truvada				X	X												
NRTI/NNRTI																	
Atripla				X	X			X									
Complera				X	X				X								
Delstrigo		X			X		X										
Odefsey				X		X			X								
Symfi or Symfi Lo		X			X			X									
NRTI/INSTI																	
Biktarvy				X		X				X							
Dovato		X									X						
Triumeq	X	X									X						
NNRTI/INSTI																	
Juluca								X			X						
NRTI/INSTI/COBI																	
Genvoya				X		X						X				X	
Stribild				X	X							X				X	
NRTI/PI/COBI																	
Symtuza				X		X								X		X	
PI/COBI																	
Evotaz													X			X	
Prezcobix														X		X	
PI/RTV																	
Kaletra															X		X

Appendix A, Table 1. Antiretrovirals Available in Fixed-Dose Combination Tablets

^a TAF, BIC, and EVG are only available in FDC tablets. However, TAF 25 mg tablets (Vemlidy) are FDA-approved for treatment of HBV. In select circumstances, TAF might be used as one component of a combination ARV regimen, with dosing recommendations similar to those for Descovy.

^b LPV is only available in FDC tablets or solution.

Key to Acronyms: 3TC = lamivudine; ABC = abacavir; ARV = antiretroviral; ATV = atazanavir; BIC = bictegravir; COBI = cobicistat; DOR = doravirine; DRV = darunavir; DTG = dolutegravir; EFV = efavirenz; EVG = elvitegravir; FDA = Food and Drug Administration; FDC = fixed-dose combination; FTC = emtricitabine; HBV = hepatitis B virus; LPV = lopinavir; LPV/r = lopinavir; NNRTI = non-nucleoside reverse transcriptase inhibitor; NRTI = nucleoside and nucleotide reverse transcriptase inhibitor; PI = protease inhibitor; PK = pharmacokinetic; RPV = rilpivirine; RTV = ritonavir; TAF = tenofovir alafenamide; TDF = tenofovir disoproxil fumarate; ZDV = zidovudine